

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	3367	709/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/22 23:45
L4	1833	709/232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/22 23:46
L5	25	"section collision".clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/22 23:48
L6	18	"section collision".clm. @ad< "20031204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/22 23:49
L7	9413	(single with connection).clm. @ad< "20031204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/22 23:54
L8	29	(single with database with connection).clm. @ad< "20031204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/22 23:54
L9	0	6 8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/22 23:56
L10	53	(parallel single database connection).clm. @ad< "20031204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/22 23:57

L12	6572	(source identifier).clm. @ad<"20031204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/23 00:02
L13	1323	(database source identifier). clm. @ad<"20031204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/23 00:02
L14	94	(database "source identifier"). clm. @ad<"20031204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/23 00:03
L15	0	5 14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/23 00:03
L16	1	5 (database "source identifier").clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/23 00:03
L17	1	5 (database source statement).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/23 00:04
L18	1007	((application or database) server) ((database source identifier).clm.) @ad<"20031204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/23 00:06
L19	971	((application and database) server) ((database source identifier).clm.) @ad<"20031204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/23 00:06
L20	48	collision ((application and database) server) ((database source identifier).clm.) @ad<"20031204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/23 00:07

L21	2	((application and database) server) ((collision database source identifier).clm.) @ad< "20031204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/23 00:07
L22	9	((application and database) server) ((collision database source identifier).clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/23 00:08
L23	5	((application and database) with server) ((collision database source identifier).clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/23 00:09
L24	1	((application and database) with server) ((parallel collision database source identifier).clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/23 00:11
L25	28	(multiple\$7 with application with server) (avoid\$ with collision) (database same connect\$5) @ad< "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/23 00:13
L26	0	10 (multiple\$7 with application with server) (avoid\$ with collision) (database same connect\$5) @ad< "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/23 00:14
L27	0	5 (multiple\$7 with application with server) (avoid\$ with collision) (database same connect\$5) @ad< "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/23 00:14
L28	0	19 (multiple\$7 with application with server) (avoid\$ with collision) (database same connect\$5) @ad< "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/23 00:15
S2	2	"20050144276"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/18 01:47
S3	6007	709/225	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/18 01:47

S4	3693	709/232	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/18 01:48
S5	10713	709/217	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/18 01:52
S6	5	transaction application "database server" "application identifier" "data updates" @ad< "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/18 01:54
S7	52	transaction application "database server" "application identifier" @ad< "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:45
S8	22	"application server" database request collision (single with connection) multiplex @ad< "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:04
S9	4	"application server" database request (avoid with collision) (single connection) multiplex @ad< "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:22
S10	4	"application server" database request (avoid with collision) single multiplex @ad< "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:05
S11	5	"application server" database request (avoid same collision) single multiplex @ad< "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:06
S12	18	(application same server same database) request (avoid same collision) single multiplex @ad< "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:06
S13	23	(application same server same database) request (avoid\$ same collision) single multiplex @ad< "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:07

S14	115	(application same server same database) request (avoid\$ same collision) channel @ad<"20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:07
S15	232	transaction application database server collision multiplex @ad<"20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:32
S16	358	transaction ((application or database) server) collision multiplex @ad<"20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:09
S17	73	transaction ((application or database) server) (avoid\$ with collision) multiplex @ad<"20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:11
S18	15478	multiple request (application with source) @ad<"20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:12
S19	2235	(multiple with request) (application with source) @ad<"20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:13
S20	192	(multiple with request) (application with source with different) @ad<"20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:18
S21	15	(("6477537") or ("6430607") or ("6356886") or ("6351772") or ("6150599") or ("6591266") or ("6301584")) .PN. or ((US2003/0212660) or (US2002/0099870)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/21 00:20
S22	4	(("20030212660") or ("20020099870")) .PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/21 00:19
S23	18	"application server" database request (avoid with collision) (single connection) multiplex \$ @ad<"20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:23

S24	21759	(multipl\$3 with multiplex\$6).ti. @ad< "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:24
S25	13	"709".clas. (multipl\$3 with multiplex\$6).ti. @ad< = "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 01:00
S26	1962	"709".clas. (multipl\$3 with multiplex\$6) @ad< = "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:41
S27	137	transaction application database server collision multiplex @ad< "20031204"	USPAT	AND	ON	2007/05/21 00:33
S28	1037	transaction application database server collision multiple\$7 @ad< "20031204"	USPAT	AND	ON	2007/05/21 00:33
S29	304	transaction (application with database with server) collision \$5 multiple\$7 @ad< "20031204"	USPAT	AND	ON	2007/05/21 00:34
S30	589	transaction (application with server) database collision\$5 multiple\$7 @ad< "20031204"	USPAT	AND	ON	2007/05/21 00:35
S31	106	transaction (application with server) database (avoid\$5 with collision\$5) multiple\$7 @ad< "20031204"	USPAT	AND	ON	2007/05/21 00:35
S32	245523	multipl\$7.ti. @ad< "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 01:00
S33	10713	709/217	US-PPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:38
S34	244	S33 multipl\$7.ti. @ad< "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:38
S35	244	S33 multipl\$7.ti. @ad< = "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:39

S36	179	709/225 multipl\$7.ti. @ad<="20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:39
S37	14846	707/10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:41
S38	4447	709/201 multipl\$6 @ad<="20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:51
S39	1485	S37 S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:43
S40	52	transaction application "database server" "application identifier" @ad< "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:45
S41	10	S40 S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:45
S42	6175	709/201	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:49
S43	7	S40 S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:53
S44	2841	707/202	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:52
S45	11	S40 S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 00:53

S46	830	"707".CLAS. multipl\$7.ti. @ad< "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 01:01
S47	1	"707".CLAS. multipl\$7.ti. (avoid\$ with collision) @ad< "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 01:03
S48	157	"707".CLAS. multipl\$7 (avoid \$ with collision) @ad< "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 01:03
S49	26	"707".CLAS. multipl\$7 (avoid \$ with collision) (single with connect\$5) @ad< "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 01:06
S50	1	(avoid\$ with collision) (single with database with connect \$5) @ad< "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 01:07
S51	2	(avoid\$ with collision) (single with database with connect \$5) @ad< = "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 01:08
S52	412	(avoid\$ with collision) (database with connect\$5) @ad< = "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 01:08
S53	17	(multiple\$7 with application with server) (avoid\$ with collision) (database with connect\$5) @ad< = "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 01:11
S54	28	(multiple\$7 with application with server) (avoid\$ with collision) (database same connect\$5) @ad< = "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 01:13
S55	2	(multiple\$7 with application with server) (avoid\$ with sect \$4 with collision) (database same connect\$5) @ad< = "20031204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/21 01:13

5/23/2008 12:17:10 AM

C:\Documents and Settings\kshin\My Documents\EAST\Workspaces\10729636.wsp